

SOLYX®

SX-1800 Bronze Random Lines



Product Details

SX-1800 Bronze Random Lines is a clear, durable, polyester film with a decorative line pattern in varying widths and shades of bronze and black. It is recommended for application to interior, single- or double-pane, and exterior facing glass, but can also be installed on exterior applications and is suitable for wet environments. It is ideal for privacy, decorative, or architectural applications.

Flammability Rating

This product meets **Class B, s1, d0**, as specified in **BS EN 13501-1:2018**.

This product meets ASTM E84 and is classified as Class A as defined in NFPA 101, Life Safety Code®.

Specification

| | |
|----------------------------|--------------------|
| Product Code | SX-1800 |
| Film Type | Polyester |
| Adhesive Type | Pressure-sensitive |
| Usage | Interior |
| Available Roll Width(s) | 60" |
| Thickness | 50 micron |
| Visible Light Transmission | 34% |
| Infra-Red Transmission | 45% |
| UV Transmission | 21% |

Installation & Warranty

Installation

Installation should be in accordance with the manufacturer's installation instructions. This film is applied using the same methods used for installing window films.

Warranty

This product will be free from defects in material and manufacture for a period of five (5) years from the date of installation. See warranty information for specific details.

To ensure that **Genuine Solyx®** products have been installed, proof of a valid invoice number is required to validate your warranty. Scan the QR code below or visit www.glassfilms.eu/validate to validate.



Product Construction

Face Film

50 micron Polyester

Adhesive

20.32 to 25 micron, Acrylic, Pressure-Sensitive

Release Liner

Polypropylene, Silicone Coated

Distribution & Contact Information

Solyx® Decorative Films are available through authorised window film installers and signage companies, or directly from Glass Films.

Contact Information

Glass Films

Tel: +44 (0) 800 970 6366

Email: sales@glassfilms.eu

Web: www.glassfilms.eu